

# SharpVue

Capture Images to USB Drive No PC Required

30x Optical Up to 300x


Digital

DisplayPort & **USB Outputs** 

> 1080p High-**Res Imaging**

Includes **Imaging Software** Annotate &

Measure











Built-in image capture to USB drive DisplayPort

### original Sharp Vue system, such as the attractive compact design and its fixed 9-inch working distance. This new model also retains the dual USB/DisplayPort outputs to connect to either a PC or an HD monitor. The SharpVue Plus's revamped camera offers improved image quality at up to 30x magnification,

Aven's SharpVue Plus combines cutting-edge technology with comfort and ease of use. The Sharp Vue Plus has carried over all the popular features of the

**Cutting-Edge Technology Meets Comfortable Viewing** 

with a DisplayPort output that provides a real-time 1080p HD video image with little-to-no lag time. While users can still utilize the SharpVue's software for image and video capture, the SharpVue Plus now features a USB port for saving images to a USB drive, no computer required.

#### Features:

- 30x optical, up to 300x digital magnification
- DisplayPort and USB output
- Built-in LEDs with On/Off switch
- Fixed 9-inch working distance
- Auto focus camera
- Includes remote control for on-screen settings

SharpVue Plus		
Item Number	26700-136	
Magnification	30x optical, up to 300x digital	
Camera	Auto focus	
Illumination	Built-in LEDs with On/Off switch	
Dimensions / Weight	16in x 6.7in x 13.77in / 9.9lbs	
Outputs	DisplayPort and USB	
Operating Systems	Windows 7/8/10	
Package Contents	SharpVue Plus Digital Inspection System, 4' power cable, HDMI cable, USB cable, SharpVue Imaging Software	

Includes

**Imaging** 

**Software** 



# Sharp\/Ue\*XT

Capture Images to USB Drive No PC Required

30x Optical
Up to 300x

Digital

DisplayPort & USB Outputs

1080p High-

Res Imaging

Annotate & Measure










Backside





### **Cutting-Edge Technology Meets Flexibility**

The SharpVue® XT camera is mounted to a telescoping arm with a **horizontal range of 6in to 16.5in**, giving users the ability to adjust the camera position both horizontally and vertically. This innovative feature allows users to upgrade their magnification or working distance, as well as scan over larger objects. The SharpVue® XT utilizes the same advanced camera technology as the SharpVue® Plus with the same USB/DisplayPort outputs and the ability to save images to a USB drive. This system comes complete with an ESD Safe **22in post stand with a 11.5in x 17.7in base**. Equipped with cutting-edge software that allows users to capture images and videos, make accurate measurements, draw lines and shapes, and more.

#### Features:

- 30x optical, up to 300x digital magnification
- DisplayPort and USB outputs
- Adjustable vertical and horizontal positioning
- Auto focus camera
- Includes remote control for on-screen settings



SharpVue XT		
Item Number	26700-137	
Magnification	30x optical, up to 300 digital	
Camera	Auto focus	
Illumination	Sold separately	
Base Dimensions	11.5in x 17.7in	
Outputs	DisplayPort and USB	
Operating Systems	Windows 7/8/10	
Package Contents	SharpVue® XT Inspection System, remote, power supply, DisplayPort cable, mini USB cable, USB drive, grounding cable, user manual, software	



## SharpVue® Accessories®

SharpVue® Plus Accessories				
Item Number	Image	Name	Description	
26700-137-10D	TOTENS	SharpVue XT 10D lens	• Extends magnification to 4.7x-94x on 22" monitor	
26700-138-4D	LENS 4D	SharpVue 4D Lens	• Extends magnification to 2x-52x optical and up to 580x digital	
26700-135-TTB		SharpVue Tiltable Table	• 360° of tiltable area • Tilts up to 45° • ESD safe	
26700-135-XYTB		SharpVue X-Y Gliding Stage	Smooth gliding table for controlled movement of subjects     ESD safe     Can be moved in increments for precise measuring	
26700-135-RC	AVEN	Replacement Remote Control	Replacement remote control for the SharpVue Plus	
26700-406		22-Inch LCD Monitor	1080p HD     HDMI outputs     Slim and elegant design, VESA mountable     LED back-lit, smart contrast ratio	